




Onoska prostorije / room designation	Naime prostora /	Room name	Dim / Perimeter	Površina / Area	Visina / High	Zapremina / Volume	Higijenska zona prostora / Zone of the room
PROIZVODNJA							
P-01	Ulazni hali	Entrance hall	23.80	23.00	3.00	69.37	NC
P-02	Toaleti (M)	Toilet	10.80	7.10	3.00	21.39	NC
P-03	Toaleti (Ž)	Toilet	9.00	4.50	3.00	13.48	NC
P-04	Sadržavnica (M)	Changing room (M)	20.40	25.40	3.00	76.39	CNC
P-05	Sadržavnica (M)	Changing room (M)	12.15	7.20	3.00	37.84	CNC
P-06	Sadržavnica (Ž)	Changing room (F)	26.05	29.27	3.00	87.81	CNC
P-07	Sadržavnica (Ž)	Changing room (F)	16.55	16.50	3.00	58.84	CNC
P-08	Triciklari	Tricycles	9.60	5.59	3.00	26.77	D
P-09	Prostori za osoblje	Personnel air lock	20.64	15.33	3.00	45.99	D
P-10	Koridor	Corridor	118.78	136.14	3.00	409.14	C
P-11	Sistemska soba	Systems room	53.30	130.86	3.00	392.58	D
P-12	Predčistisanje pogotka 1	Change room 1	37.40	76.40	3.00	228.36	D
P-13	Predčistisanje pogotka 2	Purification room 1	35.17	42.54	3.00	135.36	D
P-14	Predčistisanje pogotka 3	Purification room 2	33.23	40.79	3.00	123.16	D
P-15	Predčistisanje pogotka 4	Purification room 3	33.23	40.79	3.00	123.16	D
P-16	Predčistisanje pogotka 5	Purification room 4	33.43	41.35	3.00	125.40	D
P-17	Predčistisanje pogotka 6	Purification room 5	33.43	41.35	3.00	125.40	D
P-18	Prostori za osoblje	Personnel air lock	10.87	5.57	3.00	16.71	C
P-19	Triciklari	Personnel drying room	28.25	26.90	3.00	130.79	C
P-20	Koridor	Corridor	31.20	15.37	3.00	97.71	C
P-21	Triciklari	Technical room	46.94	89.95	3.00	209.85	CNC
P-22	Prostori za osoblje	Personnel air lock	11.85	7.87	3.00	23.61	D
P-23	Triciklari	In-process lab.	19.57	23.86	3.00	65.58	D
P-24	Triciklari	Utility solvent storage	22.05	27.67	3.00	83.01	NC
P-25	Triciklari	Tricycles	15.50	4.28	3.00	12.87	D
P-26	Triciklari	Tricycles	16.88	16.28	3.00	44.73	CNC
P-27	Koridor	Corridor	13.67	11.45	3.00	33.15	D
P-28	Koridor	Corridor	13.67	11.45	3.00	33.15	D
P-29	Koridor	Corridor	13.67	11.45	3.00	33.15	D
P-30	Koridor	Corridor	13.67	11.45	3.00	33.15	D
P-31	Koridor	Corridor	13.67	11.45	3.00	33.15	D
P-32	Koridor	Corridor	13.67	11.45	3.00	33.15	D
P-33	Koridor	Corridor	13.67	11.45	3.00	33.15	D
P-34	Koridor	Corridor	13.67	11.45	3.00	33.15	D
P-35	Koridor	Corridor	13.67	11.45	3.00	33.15	D
P-36	Koridor	Corridor	13.67	11.45	3.00	33.15	D
P-37	Koridor	Corridor	13.67	11.45	3.00	33.15	D
P-38	Koridor	Corridor	13.67	11.45	3.00	33.15	D
SKLADIŠTE / WAREHOUSE							
W-01	Ulazni hali	Entrance hall	16.10	14.06	3.00	42.18	NC
W-02	Toaleti (Ž)	Toilet (F)	9.99	4.80	3.00	14.40	NC
W-03	Toaleti (M)	Toilet (M)	11.85	4.80	3.00	29.40	NC
W-04	Triciklari	Tricycles	12.60	9.90	3.00	29.70	NC
W-05	Sadržavnica (M)	Changing room (M)	21.40	16.56	3.00	49.38	CNC
W-06	Sadržavnica (M)	Changing room (M)	21.40	16.56	3.00	49.38	CNC
W-07	Triciklari	Tricycles	12.60	9.90	3.00	29.70	NC
W-08	Triciklari	Tricycles	12.60	9.90	3.00	29.70	NC
W-09	Sobu za vozača	Driver's room	15.66	10.57	3.00	31.71	NC
W-10	Triciklari	Tricycles	7.80	2.80	3.00	8.67	NC
W-11	Priprema materijala za otpremu	Packing area	23.40	33.13	3.00	99.36	CNC
W-12	Oprema materijala	Shipping of materials	14.80	13.00	3.00	39.37	NC
W-13	Priprema materijala	Receiving materials	24.20	14.40	3.00	72.48	NC
W-14	Koridor	Corridor	92.40	247.50	3.00	777.78	CNC
W-15	Koridor	Corridor	26.27	15.58	3.00	48.84	CNC
W-16	Koridor	Corridor	14.70	12.74	3.00	38.12	CNC
W-17	Triciklari	Cold chamber (2-8°C)	14.56	12.40	3.00	37.47	CNC
W-18	Triciklari	Cold chamber (2-8°C)	14.56	12.40	3.00	37.47	CNC
W-19	Triciklari	Accelerated stability	14.56	12.40	3.00	37.47	CNC
W-20	Triciklari	Freezer for stability	14.44	12.20	3.00	36.60	CNC
W-21	Triciklari	Freezer (FA)	14.44	12.20	3.00	36.60	CNC
W-22	Triciklari	Office	14.44	12.20	3.00	36.60	CNC
W-23	Triciklari	Office	14.44	12.20	3.00	36.60	CNC
W-24	Triciklari	Office	14.44	12.20	3.00	36.60	CNC
W-25	Triciklari	Office	14.44	12.20	3.00	36.60	CNC
W-26	Triciklari	Office	14.44	12.20	3.00	36.60	CNC
W-27	Triciklari	Office	14.44	12.20	3.00	36.60	CNC
ENERGIJSKA							
UT-001	Koridor	Corridor	18.44	14.74	6.40	6.40	95.81
UT-002	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-003	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-004	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-005	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-006	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-007	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-008	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-009	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-010	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-011	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-012	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-013	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-014	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-015	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-016	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-017	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-018	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-019	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-020	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-021	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-022	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-023	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-024	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-025	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-026	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-027	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-028	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-029	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-030	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-031	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-032	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-033	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-034	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-035	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-036	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-037	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-038	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-039	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-040	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-041	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-042	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-043	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-044	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-045	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-046	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-047	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-048	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-049	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-050	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-051	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-052	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-053	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-054	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-055	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-056	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-057	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-058	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-059	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-060	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-061	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-062	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-063	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-064	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-065	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-066	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-067	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-068	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-069	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-070	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-071	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-072	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-073	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-074	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-075	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-076	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-077	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-078	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-079	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-080	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-081	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-082	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-083	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-084	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-085	Koridor	Corridor	29.28	52.34	6.60	7.43	967.69
UT-086	Koridor						