

Dodatak 4 Rezultati modelovanja buke duž pruge Niš – Brestovac

U tabeli 3. su prikazani podaci koji se odnose: na objekte koji se nalaze u neposrednoj blizini koloseka (spratnost i stacionaža), prikazane su granične vrednosti, nivoi (za period dana i noći) buke bez zaštitnih mera, prekoračenja i nivoi buke sa premenjenim zaštitnim konstrukcijama.

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
244+674	Ledena Stena	1	65	55	60.1	53.7	-	-	59.4	53	-
244+674	Ledena Stena	2	65	55	60.5	54.1	-	-	59.9	53.5	-
244+674	Ledena Stena	1	65	55	60.1	53.7	-	-	59.4	53	-
244+674	Ledena Stena	2	65	55	60.5	54.1	-	-	59.9	53.5	-
244+679	Ledena Stena	1	65	55	58.4	52	-	-	58	51.6	-
244+679	Ledena Stena	2	65	55	59	52.6	-	-	58.7	52.3	-
244+698	Ledena Stena	1	65	55	59.8	53.4	-	-	57.7	51.3	-
244+698	Ledena Stena	2	65	55	60.4	54	-	-	58.7	52.3	-
244+698	Ledena Stena	1	65	55	59.8	53.4	-	-	57.7	51.3	-
244+698	Ledena Stena	2	65	55	60.4	54	-	-	58.7	52.3	-
244+715	Ledena Stena	1	65	55	62.7	56.3	-	1.3	55.1	48.7	-
244+715	Ledena Stena	2	65	55	64.8	58.4	-	3.4	58.4	52	-
244+715	Ledena Stena	1	65	55	62.7	56.3	-	1.3	55.1	48.7	-
244+715	Ledena Stena	2	65	55	64.8	58.4	-	3.4	58.4	52	-
244+722	Ledena Stena	1	65	55	59.9	53.5	-	-	59.1	52.7	-
244+722	Ledena Stena	2	65	55	60.6	54.2	-	-	59.9	53.5	-
244+761	Ledena Stena	1	65	55	62.7	56.3	-	1.3	53.8	47.4	-
244+761	Ledena Stena	2	65	55	64.4	58	-	3	57.4	51	-
244+761	Ledena Stena	1	65	55	62.7	56.3	-	1.3	53.8	47.4	-
244+761	Ledena Stena	2	65	55	64.4	58	-	3	57.4	51	-
244+781	Ledena Stena	1	65	55	62.8	56.4	-	1.4	61.9	55.5	0.5
244+781	Ledena Stena	2	65	55	64.1	57.7	-	2.7	63.3	56.9	1.9
244+813	Ledena Stena	1	65	55	69.4	63	4.4	8	69	62.6	7.6
244+813	Ledena Stena	2	65	55	69.4	63	4.4	8	68.9	62.5	7.5
244+823	Ledena Stena	1	65	55	62.3	55.9	-	0.9	55.3	48.9	-
244+823	Ledena Stena	2	65	55	64	57.6	-	2.6	57.8	51.4	-
244+823	Ledena Stena	1	65	55	62.3	55.9	-	0.9	55.3	48.9	-
244+823	Ledena Stena	2	65	55	64	57.6	-	2.6	57.8	51.4	-
244+827	Ledena Stena	1	65	55	67.9	61.5	2.9	6.5	67.6	61.2	6.2
244+827	Ledena Stena	2	65	55	68.2	61.8	3.2	6.8	67.9	61.5	6.5

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
244+832	Ledena Stena	1	65	55	62.3	55.9	-	0.9	57.6	51.2	-
244+832	Ledena Stena	2	65	55	64.1	57.7	-	2.7	59.7	53.3	-
244+832	Ledena Stena	1	65	55	62.3	55.9	-	0.9	57.6	51.2	-
244+832	Ledena Stena	2	65	55	64.1	57.7	-	2.7	59.7	53.3	-
244+838	Ledena Stena	1	65	55	61.1	54.7	-	-	58.5	52.1	-
244+838	Ledena Stena	2	65	55	62.4	55.9	-	0.9	60	53.5	-
244+838	Ledena Stena	1	65	55	61.1	54.7	-	-	58.5	52.1	-
244+838	Ledena Stena	2	65	55	62.4	55.9	-	0.9	59.9	53.5	-
244+881	Ledena Stena	1	65	55	70.8	64.4	5.8	9.4	70.8	64.4	9.4
244+881	Ledena Stena	2	65	55	70.1	63.7	5.1	8.7	70.1	63.7	8.7
244+883	Ledena Stena	1	65	55	61.5	55.1	-	0.1	61.3	54.9	-
244+918	Ledena Stena	1	65	55	56.9	50.5	-	-	56.6	50.2	-
244+925	Ledena Stena	1	65	55	70.8	64.4	5.8	9.4	70.8	64.4	9.4
244+925	Ledena Stena	2	65	55	70.2	63.8	5.2	8.8	70.2	63.8	8.8
244+966	Ledena Stena	1	65	55	62.1	55.7	-	0.7	58.7	52.3	-
244+966	Ledena Stena	1	65	55	62.1	55.7	-	0.7	58.7	52.3	-
244+987	Ledena Stena	1	65	55	62.4	56	-	1	55.8	49.3	-
244+987	Ledena Stena	1	65	55	62.4	56	-	1	55.8	49.3	-
244+999	Ledena Stena	1	65	55	69.7	63.3	4.7	8.3	69.6	63.2	8.2
244+999	Ledena Stena	2	65	55	69.4	63	4.4	8	69.2	62.8	7.8
245+009	Ledena Stena	1	65	55	63.6	57.2	-	2.2	58.2	51.8	-
245+009	Ledena Stena	1	65	55	63.6	57.2	-	2.2	58.2	51.8	-
245+027	Ledena Stena	1	65	55	63.6	57.2	-	2.2	58.7	52.3	-
245+027	Ledena Stena	1	65	55	63.6	57.2	-	2.2	58.7	52.3	-
245+054	Ledena Stena	1	65	55	63.9	57.4	-	2.4	58.6	52.1	-
245+054	Ledena Stena	1	65	55	63.9	57.4	-	2.4	58.6	52.1	-
245+081	Ledena Stena	1	65	55	64.3	57.9	-	2.9	59.6	53.2	-
245+081	Ledena Stena	1	65	55	64.3	57.9	-	2.9	59.6	53.2	-
245+101	Ledena Stena	1	65	55	68.8	62.4	3.8	7.4	68.5	62.1	7.1
245+101	Ledena Stena	2	65	55	68.8	62.4	3.8	7.4	68.3	61.9	6.9

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
245+102	Ledena Stena	1	65	55	63.7	57.3	-	2.3	57.5	51.1	-
245+102	Ledena Stena	1	65	55	63.7	57.3	-	2.3	57.5	51.1	-
245+130	Ledena Stena	1	65	55	63.9	57.5	-	2.5	60	53.6	-
245+130	Ledena Stena	1	65	55	63.9	57.5	-	2.5	60	53.6	-
245+182	Ledena Stena	1	65	55	68.4	62	3.4	7	68.4	62	7
245+182	Ledena Stena	2	65	55	68.1	61.7	3.1	6.7	68.1	61.7	6.7
245+214	Ledena Stena	1	65	55	68.5	62.1	3.5	7.1	68.5	62.1	7.1
245+214	Ledena Stena	2	65	55	68.2	61.8	3.2	6.8	68.2	61.8	6.8
245+331	Ledena Stena	1	65	55	61.4	55	-	-	61.4	55	-
245+331	Ledena Stena	2	65	55	63.5	57	-	2	63.5	57	2
245+385	Ledena Stena	1	65	55	65	58.6	-	3.6	65	58.6	3.6
245+385	Ledena Stena	2	65	55	65.1	58.7	0.1	3.7	65.1	58.7	3.7
245+408	Ledena Stena	1	65	55	64.8	58.4	-	3.4	64.8	58.4	3.4
245+408	Ledena Stena	2	65	55	65.2	58.8	0.2	3.8	65.2	58.8	3.8
245+493	Ledena Stena	1	65	55	68.6	62.2	3.6	7.2	68.6	62.2	7.2
245+493	Ledena Stena	2	65	55	68.2	61.8	3.2	6.8	68.2	61.8	6.8
245+541	Ledena Stena	1	65	55	69.1	62.7	4.1	7.7	69.1	62.7	7.7
245+541	Ledena Stena	2	65	55	68.7	62.3	3.7	7.3	68.7	62.3	7.3
245+586	Ledena Stena	1	65	55	55.8	49.4	-	-	55.8	49.4	-
245+591	Ledena Stena	1	65	55	56.1	49.7	-	-	56.1	49.7	-
245+670	Ledena Stena	1	65	55	57.8	51.3	-	-	57.8	51.3	-
245+680	Ledena Stena	1	65	55	58.7	52.2	-	-	58.7	52.2	-
246+664	KP Niš	1	65	55	47.3	40.9	-	-	47.3	40.9	-
246+664	KP Niš	2	65	55	47.9	41.5	-	-	47.9	41.5	-
246+664	KP Niš	3	65	55	48.6	42.1	-	-	48.6	42.1	-
246+713	KP Niš	1	65	55	47	40.5	-	-	47	40.5	-
246+713	KP Niš	2	65	55	47.6	41.2	-	-	47.6	41.2	-
246+713	KP Niš	3	65	55	48.3	41.8	-	-	48.3	41.8	-
246+732	KP Niš	1	65	55	48.3	41.9	-	-	48.3	41.9	-
246+732	KP Niš	2	65	55	49.2	42.8	-	-	49.2	42.8	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
246+732	KP Niš	3	65	55	50.2	43.8	-	-	50.2	43.8	-
246+766	KP Niš	1	65	55	50.4	44	-	-	50.4	44	-
246+766	KP Niš	2	65	55	51.6	45.2	-	-	51.6	45.2	-
246+766	KP Niš	3	65	55	52.9	46.5	-	-	52.9	46.5	-
246+815	KP Niš	1	65	55	50.3	43.8	-	-	50.3	43.8	-
246+815	KP Niš	2	65	55	51.3	44.9	-	-	51.3	44.9	-
246+815	KP Niš	3	65	55	52.4	45.9	-	-	52.4	45.9	-
246+864	KP Niš	1	65	55	50.7	44.3	-	-	50.7	44.3	-
246+864	KP Niš	2	65	55	51.7	45.3	-	-	51.7	45.3	-
246+864	KP Niš	3	65	55	52.8	46.4	-	-	52.8	46.4	-
246+911	KP Niš	1	65	55	52	45.6	-	-	52	45.6	-
246+911	KP Niš	2	65	55	53.1	46.6	-	-	53.1	46.6	-
246+911	KP Niš	3	65	55	54.1	47.7	-	-	54.1	47.7	-
246+962	KP Niš	1	65	55	53.3	46.9	-	-	53.3	46.9	-
246+962	KP Niš	2	65	55	54.4	48	-	-	54.4	48	-
246+962	KP Niš	3	65	55	55.4	49	-	-	55.4	49	-
247+717	Novo Selo	1	65	55	69	62.6	4	7.6	54	47.6	-
247+717	Novo Selo	2	65	55	69.4	63	4.4	8	56.1	49.7	-
247+717	Novo Selo	1	65	55	69	62.6	4	7.6	54	47.6	-
247+717	Novo Selo	2	65	55	69.4	63	4.4	8	56.1	49.7	-
247+737	Novo Selo	1	65	55	68.8	62.4	3.8	7.4	53.2	46.8	-
247+737	Novo Selo	2	65	55	69.4	63	4.4	8	55.4	49	-
247+737	Novo Selo	1	65	55	68.8	62.4	3.8	7.4	53.2	46.8	-
247+737	Novo Selo	2	65	55	69.4	63	4.4	8	55.4	49	-
247+762	Novo Selo	1	65	55	68.6	62.2	3.6	7.2	53.1	46.7	-
247+762	Novo Selo	2	65	55	69.8	63.4	4.8	8.4	55.5	49.1	-
247+762	Novo Selo	1	65	55	68.6	62.2	3.6	7.2	53.1	46.7	-
247+762	Novo Selo	2	65	55	69.8	63.4	4.8	8.4	55.5	49.1	-
247+803	Novo Selo	1	65	55	57.9	51.5	-	-	55.4	49	-
247+803	Novo Selo	2	65	55	58.4	52	-	-	56	49.6	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
247+803	Novo Selo	3	65	55	59.2	52.8	-	-	56.6	50.2	-
247+803	Novo Selo	1	65	55	57.9	51.5	-	-	55.4	49	-
247+803	Novo Selo	2	65	55	58.4	52	-	-	56	49.6	-
247+803	Novo Selo	3	65	55	59.2	52.8	-	-	56.6	50.2	-
247+807	Novo Selo	1	65	55	69.6	63.2	4.6	8.2	53.1	46.7	-
247+807	Novo Selo	2	65	55	70.2	63.8	5.2	8.8	55.9	49.5	-
247+807	Novo Selo	1	65	55	69.6	63.2	4.6	8.2	53.1	46.7	-
247+807	Novo Selo	2	65	55	70.2	63.8	5.2	8.8	55.9	49.5	-
247+817	Novo Selo	1	65	55	58.4	52	-	-	55.6	49.2	-
247+817	Novo Selo	2	65	55	58.9	52.5	-	-	56.3	49.9	-
247+817	Novo Selo	3	65	55	59.8	53.4	-	-	56.9	50.5	-
247+817	Novo Selo	1	65	55	58.4	52	-	-	55.6	49.2	-
247+817	Novo Selo	2	65	55	58.9	52.5	-	-	56.3	49.9	-
247+817	Novo Selo	3	65	55	59.8	53.4	-	-	56.9	50.5	-
247+837	Novo Selo	1	65	55	58.6	52.2	-	-	55.1	48.6	-
247+837	Novo Selo	2	65	55	59.3	52.9	-	-	55.8	49.4	-
247+837	Novo Selo	3	65	55	60.3	53.9	-	-	56.5	50.1	-
247+837	Novo Selo	1	65	55	58.6	52.2	-	-	55.1	48.6	-
247+837	Novo Selo	2	65	55	59.3	52.9	-	-	55.8	49.4	-
247+837	Novo Selo	3	65	55	60.3	53.9	-	-	56.5	50.1	-
247+853	Novo Selo	1	65	55	70	63.6	5	8.6	53.5	47.1	-
247+853	Novo Selo	2	65	55	70.3	63.9	5.3	8.9	56.4	50	-
247+853	Novo Selo	1	65	55	70	63.6	5	8.6	53.5	47.1	-
247+853	Novo Selo	2	65	55	70.3	63.9	5.3	8.9	56.4	50	-
247+861	Novo Selo	1	65	55	61.7	55.3	-	0.3	54.1	47.7	-
247+861	Novo Selo	2	65	55	64.6	58.2	-	3.2	55.8	49.4	-
247+861	Novo Selo	3	65	55	65.7	59.2	0.7	4.2	57.5	51.1	-
247+861	Novo Selo	1	65	55	61.7	55.3	-	0.3	54.1	47.7	-
247+861	Novo Selo	2	65	55	64.6	58.2	-	3.2	55.8	49.4	-
247+861	Novo Selo	3	65	55	65.7	59.2	0.7	4.2	57.5	51.1	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
247+879	Novo Selo	1	65	55	69.9	63.5	4.9	8.5	53.6	47.2	-
247+879	Novo Selo	2	65	55	70.2	63.8	5.2	8.8	56.6	50.1	-
247+879	Novo Selo	1	65	55	69.9	63.5	4.9	8.5	53.6	47.2	-
247+879	Novo Selo	2	65	55	70.2	63.8	5.2	8.8	56.6	50.1	-
247+889	Novo Selo	1	65	55	62.2	55.7	-	0.7	53.5	47.1	-
247+889	Novo Selo	2	65	55	65.1	58.7	0.1	3.7	55.5	49.1	-
247+889	Novo Selo	3	65	55	66.4	59.9	1.4	4.9	57.9	51.5	-
247+889	Novo Selo	1	65	55	62.2	55.7	-	0.7	53.5	47.1	-
247+889	Novo Selo	2	65	55	65.1	58.7	0.1	3.7	55.5	49.1	-
247+889	Novo Selo	3	65	55	66.4	59.9	1.4	4.9	57.9	51.5	-
247+892	Novo Selo	1	65	55	70.1	63.7	5.1	8.7	53.8	47.3	-
247+892	Novo Selo	2	65	55	70.3	63.9	5.3	8.9	56.8	50.4	-
247+892	Novo Selo	1	65	55	70.1	63.7	5.1	8.7	53.7	47.3	-
247+892	Novo Selo	2	65	55	70.3	63.9	5.3	8.9	56.8	50.4	-
247+901	Novo Selo	1	65	55	70.2	63.8	5.2	8.8	53.8	47.4	-
247+901	Novo Selo	2	65	55	70.5	64.1	5.5	9.1	57	50.6	-
247+901	Novo Selo	1	65	55	70.2	63.8	5.2	8.8	53.8	47.4	-
247+901	Novo Selo	2	65	55	70.5	64.1	5.5	9.1	57	50.6	-
247+909	Novo Selo	1	65	55	62.3	55.9	-	0.9	52.9	46.5	-
247+909	Novo Selo	2	65	55	65.6	59.2	0.6	4.2	55.6	49.2	-
247+909	Novo Selo	3	65	55	66.7	60.3	1.7	5.3	58.8	52.4	-
247+909	Novo Selo	1	65	55	62.3	55.9	-	0.9	52.9	46.5	-
247+909	Novo Selo	2	65	55	65.6	59.2	0.6	4.2	55.6	49.2	-
247+909	Novo Selo	3	65	55	66.7	60.3	1.7	5.3	58.8	52.4	-
247+920	Novo Selo	1	65	55	63.1	56.7	-	1.7	53.2	46.8	-
247+920	Novo Selo	2	65	55	67.3	60.9	2.3	5.9	56.8	50.4	-
247+920	Novo Selo	3	65	55	67.8	61.4	2.8	6.4	61.4	55	-
247+920	Novo Selo	1	65	55	63.1	56.7	-	1.7	53.2	46.8	-
247+920	Novo Selo	2	65	55	67.3	60.9	2.3	5.9	56.8	50.4	-
247+920	Novo Selo	3	65	55	67.8	61.4	2.8	6.4	61.4	55	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
247+932	Novo Selo	1	65	55	67.4	61	2.4	6	52.4	46	-
247+932	Novo Selo	2	65	55	68	61.6	3	6.6	54.4	48	-
247+932	Novo Selo	3	65	55	68.2	61.8	3.2	6.8	56.3	49.9	-
247+932	Novo Selo	1	65	55	67.4	61	2.4	6	52.4	46	-
247+932	Novo Selo	2	65	55	68	61.6	3	6.6	54.4	48	-
247+932	Novo Selo	3	65	55	68.2	61.8	3.2	6.8	56.3	49.9	-
247+944	Novo Selo	1	65	55	67.5	61.1	2.5	6.1	52.4	46	-
247+944	Novo Selo	2	65	55	68	61.6	3	6.6	54.3	47.9	-
247+944	Novo Selo	3	65	55	68.2	61.7	3.2	6.7	56.2	49.7	-
247+944	Novo Selo	1	65	55	67.5	61.1	2.5	6.1	52.4	46	-
247+944	Novo Selo	2	65	55	68	61.6	3	6.6	54.3	47.9	-
247+944	Novo Selo	3	65	55	68.2	61.7	3.2	6.7	56.2	49.7	-
247+954	Novo Selo	1	65	55	63.4	57	-	2	53.6	47.2	-
247+954	Novo Selo	2	65	55	67.2	60.8	2.2	5.8	56.7	50.3	-
247+954	Novo Selo	3	65	55	68.1	61.7	3.1	6.7	60.6	54.2	-
247+954	Novo Selo	1	65	55	63.4	57	-	2	53.6	47.2	-
247+954	Novo Selo	2	65	55	67.2	60.8	2.2	5.8	56.7	50.3	-
247+954	Novo Selo	3	65	55	68.1	61.7	3.1	6.7	60.6	54.2	-
247+963	Novo Selo	1	65	55	67.7	61.2	2.7	6.2	52.8	46.3	-
247+963	Novo Selo	2	65	55	68.1	61.7	3.1	6.7	54.6	48.2	-
247+963	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	56.5	50.1	-
247+963	Novo Selo	1	65	55	67.7	61.2	2.7	6.2	52.8	46.3	-
247+963	Novo Selo	2	65	55	68.1	61.7	3.1	6.7	54.6	48.2	-
247+963	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	56.5	50.1	-
247+968	Novo Selo	1	65	55	63.6	57.2	-	2.2	53.6	47.2	-
247+968	Novo Selo	2	65	55	67.8	61.4	2.8	6.4	56.8	50.4	-
247+968	Novo Selo	3	65	55	68.2	61.8	3.2	6.8	61.1	54.7	-
247+968	Novo Selo	1	65	55	63.6	57.2	-	2.2	53.6	47.2	-
247+968	Novo Selo	2	65	55	67.8	61.4	2.8	6.4	56.8	50.4	-
247+968	Novo Selo	3	65	55	68.2	61.8	3.2	6.8	61.1	54.7	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
247+989	Novo Selo	1	65	55	67.6	61.2	2.6	6.2	53.6	47.2	-
247+989	Novo Selo	2	65	55	68.1	61.7	3.1	6.7	55.5	49.1	-
247+989	Novo Selo	3	65	55	68.4	61.9	3.4	6.9	57.2	50.7	-
247+989	Novo Selo	1	65	55	67.6	61.2	2.6	6.2	53.6	47.2	-
247+989	Novo Selo	2	65	55	68.1	61.7	3.1	6.7	55.5	49.1	-
247+989	Novo Selo	3	65	55	68.4	61.9	3.4	6.9	57.2	50.7	-
247+990	Novo Selo	1	65	55	63.7	57.3	-	2.3	53.6	47.2	-
247+990	Novo Selo	2	65	55	68.1	61.7	3.1	6.7	57.1	50.7	-
247+990	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	61.5	55.1	0.1
247+990	Novo Selo	1	65	55	63.7	57.3	-	2.3	53.6	47.2	-
247+990	Novo Selo	2	65	55	68.1	61.7	3.1	6.7	57.1	50.7	-
247+990	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	61.5	55.1	0.1
248+009	Novo Selo	1	65	55	67.5	61.1	2.5	6.1	54	47.6	-
248+009	Novo Selo	2	65	55	68	61.6	3	6.6	55.7	49.3	-
248+009	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	57.3	50.9	-
248+009	Novo Selo	1	65	55	67.5	61.1	2.5	6.1	54	47.6	-
248+009	Novo Selo	2	65	55	68	61.6	3	6.6	55.7	49.3	-
248+009	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	57.3	50.9	-
248+020	Novo Selo	1	65	55	67.5	61.1	2.5	6.1	54.4	48	-
248+020	Novo Selo	2	65	55	68	61.6	3	6.6	56	49.6	-
248+020	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	57.6	51.2	-
248+020	Novo Selo	1	65	55	67.5	61.1	2.5	6.1	54.4	48	-
248+020	Novo Selo	2	65	55	68	61.6	3	6.6	56	49.6	-
248+020	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	57.6	51.2	-
248+027	Novo Selo	1	65	55	67.6	61.1	2.6	6.1	54.8	48.3	-
248+027	Novo Selo	2	65	55	68	61.6	3	6.6	56.3	49.9	-
248+027	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	57.9	51.4	-
248+027	Novo Selo	1	65	55	67.6	61.1	2.6	6.1	54.7	48.3	-
248+027	Novo Selo	2	65	55	68	61.6	3	6.6	56.3	49.9	-
248+027	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	57.9	51.4	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
248+030	Novo Selo	1	65	55	64.3	57.9	-	2.9	53.5	47.1	-
248+030	Novo Selo	2	65	55	68.8	62.3	3.8	7.3	58	51.5	-
248+030	Novo Selo	3	65	55	68.8	62.4	3.8	7.4	63.6	54.9	-
248+030	Novo Selo	1	65	55	64.3	57.9	-	2.9	53.5	47.1	-
248+030	Novo Selo	2	65	55	68.8	62.3	3.8	7.3	58	51.5	-
248+030	Novo Selo	3	65	55	68.8	62.4	3.8	7.4	63.6	55.2	0.2
248+036	Novo Selo	1	65	55	66.7	60.3	1.7	5.3	55.3	48.9	-
248+036	Novo Selo	2	65	55	67.2	60.8	2.2	5.8	56.6	50.2	-
248+036	Novo Selo	3	65	55	67.5	61.1	2.5	6.1	57.9	51.5	-
248+036	Novo Selo	1	65	55	66.7	60.3	1.7	5.3	55.3	48.9	-
248+036	Novo Selo	2	65	55	67.2	60.8	2.2	5.8	56.6	50.2	-
248+036	Novo Selo	3	65	55	67.5	61.1	2.5	6.1	57.9	51.5	-
248+041	Novo Selo	1	65	55	62.2	55.8	-	0.8	57.1	50.7	-
248+041	Novo Selo	2	65	55	63.1	56.7	-	1.7	57.9	51.5	-
248+041	Novo Selo	3	65	55	63.7	57.3	-	2.3	58.7	52.3	-
248+041	Novo Selo	1	65	55	62.2	55.8	-	0.8	57.1	50.7	-
248+041	Novo Selo	2	65	55	63.1	56.7	-	1.7	57.9	51.5	-
248+041	Novo Selo	3	65	55	63.7	57.3	-	2.3	58.7	52.3	-
248+050	Novo Selo	1	65	55	62.3	55.9	-	0.9	57.5	51.1	-
248+050	Novo Selo	2	65	55	63.2	56.8	-	1.8	58.4	52	-
248+050	Novo Selo	3	65	55	64.2	57.8	-	2.8	59.2	52.8	-
248+050	Novo Selo	1	65	55	62.3	55.9	-	0.9	57.5	51.1	-
248+050	Novo Selo	2	65	55	63.2	56.8	-	1.8	58.4	52	-
248+050	Novo Selo	3	65	55	64.2	57.8	-	2.8	59.2	52.8	-
248+061	Novo Selo	1	65	55	60.1	53.7	-	-	57.7	51.3	-
248+061	Novo Selo	2	65	55	60.7	54.3	-	-	58.4	52	-
248+061	Novo Selo	3	65	55	61.7	55.3	-	0.3	59.1	52.7	-
248+061	Novo Selo	1	65	55	60.1	53.7	-	-	57.7	51.3	-
248+061	Novo Selo	2	65	55	60.7	54.3	-	-	58.4	52	-
248+061	Novo Selo	3	65	55	61.7	55.3	-	0.3	59.1	52.7	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
248+076	Novo Selo	1	65	55	59.7	53.2	-	-	57.8	51.3	-
248+076	Novo Selo	2	65	55	60.2	53.8	-	-	58.2	51.8	-
248+076	Novo Selo	3	65	55	60.9	54.5	-	-	58.8	52.4	-
248+076	Novo Selo	1	65	55	59.7	53.2	-	-	57.8	51.3	-
248+076	Novo Selo	2	65	55	60.2	53.8	-	-	58.2	51.8	-
248+076	Novo Selo	3	65	55	60.9	54.5	-	-	58.8	52.4	-
248+093	Novo Selo	1	65	55	65.2	58.8	0.2	3.8	53.5	47.1	-
248+093	Novo Selo	2	65	55	69.7	63.3	4.7	8.3	59.7	53.3	-
248+093	Novo Selo	3	65	55	69.7	63.3	4.7	8.3	61.7	55.3	0.3
248+093	Novo Selo	1	65	55	65.2	58.8	0.2	3.8	53.5	47.1	-
248+093	Novo Selo	2	65	55	69.7	63.3	4.7	8.3	59.7	53.3	-
248+093	Novo Selo	3	65	55	69.7	63.3	4.7	8.3	61.7	55.3	0.3
248+113	Novo Selo	1	65	55	59.9	53.5	-	-	58.1	51.7	-
248+113	Novo Selo	2	65	55	60.4	54	-	-	58.7	52.3	-
248+113	Novo Selo	3	65	55	61.2	54.8	-	-	59.3	52.9	-
248+113	Novo Selo	1	65	55	59.9	53.5	-	-	58.1	51.7	-
248+113	Novo Selo	2	65	55	60.4	54	-	-	58.7	52.3	-
248+113	Novo Selo	3	65	55	61.2	54.8	-	-	59.3	52.9	-
248+144	Novo Selo	1	65	55	59.7	53.3	-	-	58.2	51.8	-
248+144	Novo Selo	2	65	55	60.2	53.8	-	-	58.8	52.4	-
248+144	Novo Selo	3	65	55	61	54.6	-	-	59.4	53	-
248+144	Novo Selo	1	65	55	59.7	53.3	-	-	58.2	51.8	-
248+144	Novo Selo	2	65	55	60.2	53.8	-	-	58.8	52.4	-
248+144	Novo Selo	3	65	55	61	54.6	-	-	59.4	53	-
248+152	Novo Selo	1	65	55	64.5	58.1	-	3.1	54.4	48	-
248+152	Novo Selo	2	65	55	69	62.6	4	7.6	59.6	53.2	-
248+152	Novo Selo	3	65	55	68.9	62.5	3.9	7.5	61.7	55.3	0.3
248+152	Novo Selo	1	65	55	64.5	58.1	-	3.1	54.4	48	-
248+152	Novo Selo	2	65	55	69	62.6	4	7.6	59.6	53.2	-
248+152	Novo Selo	3	65	55	68.9	62.5	3.9	7.5	61.7	55.3	0.3

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
248+155	Novo Selo	1	65	55	59.5	53.1	-	-	58	51.6	-
248+155	Novo Selo	2	65	55	60	53.6	-	-	58.6	52.2	-
248+155	Novo Selo	3	65	55	60.7	54.3	-	-	59.1	52.7	-
248+155	Novo Selo	1	65	55	59.5	53.1	-	-	58	51.6	-
248+155	Novo Selo	2	65	55	60	53.6	-	-	58.6	52.2	-
248+155	Novo Selo	3	65	55	60.7	54.3	-	-	59.1	52.7	-
248+222	Novo Selo	1	65	55	64.1	57.7	-	2.7	54.8	48.4	-
248+222	Novo Selo	2	65	55	68.3	61.9	3.3	6.9	59.4	53	-
248+222	Novo Selo	3	65	55	68.4	62	3.4	7	62.5	56.1	1.1
248+222	Novo Selo	1	65	55	64.1	57.7	-	2.7	54.8	48.4	-
248+222	Novo Selo	2	65	55	68.3	61.9	3.3	6.9	59.4	53	-
248+222	Novo Selo	3	65	55	68.4	62	3.4	7	62.7	56.3	1.3
248+283	Novo Selo	1	65	55	64.5	58.1	-	3.1	55.2	48.8	-
248+283	Novo Selo	2	65	55	68.3	61.9	3.3	6.9	59.9	53.5	-
248+283	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	62.8	56.4	1.4
248+283	Novo Selo	1	65	55	64.5	58.1	-	3.1	55.2	48.8	-
248+283	Novo Selo	2	65	55	68.3	61.9	3.3	6.9	59.9	53.5	-
248+283	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	62.8	56.4	1.4
248+304	Novo Selo	1	65	55	64.9	58.4	-	3.4	55.5	49	-
248+304	Novo Selo	2	65	55	68.4	61.9	3.4	6.9	60.1	53.6	-
248+304	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	62.8	56.4	1.4
248+304	Novo Selo	1	65	55	64.9	58.4	-	3.4	55.5	49	-
248+304	Novo Selo	2	65	55	68.4	61.9	3.4	6.9	60.1	53.6	-
248+304	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	62.8	56.4	1.4
248+318	Novo Selo	1	65	55	65.2	58.8	0.2	3.8	55.5	49.1	-
248+318	Novo Selo	2	65	55	68.3	61.9	3.3	6.9	60.1	53.7	-
248+318	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	62.8	56.4	1.4
248+318	Novo Selo	1	65	55	65.2	58.8	0.2	3.8	55.5	49.1	-
248+318	Novo Selo	2	65	55	68.3	61.9	3.3	6.9	60.1	53.7	-
248+318	Novo Selo	3	65	55	68.3	61.9	3.3	6.9	62.8	56.4	1.4

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
250+042	Donje Međurovo	1	65	55	56.6	50.2	-	-	56.6	50.2	-
250+055	Donje Međurovo	1	65	55	57	50.5	-	-	57	50.5	-
250+074	Donje Međurovo	1	65	55	57.1	50.7	-	-	57	50.6	-
250+097	Donje Međurovo	1	65	55	56.8	50.4	-	-	56.7	50.3	-
250+111	Donje Međurovo	1	65	55	57.9	51.5	-	-	55	48.6	-
250+111	Donje Međurovo	2	65	55	58.5	52.1	-	-	55.5	49.1	-
250+112	Donje Međurovo	1	65	55	56.5	50.1	-	-	56.4	50	-
250+117	Donje Međurovo	1	65	55	54.5	48.1	-	-	54.4	48	-
250+117	Donje Međurovo	1	65	55	58.7	52.3	-	-	54.7	48.3	-
250+117	Donje Međurovo	2	65	55	59.5	53	-	-	55.3	48.9	-
250+123	Donje Međurovo	1	65	55	59.8	53.4	-	-	54.4	48	-
250+123	Donje Međurovo	2	65	55	60.8	54.4	-	-	55.1	48.7	-
250+128	Donje Međurovo	1	65	55	52.9	46.5	-	-	51	44.5	-
250+128	Donje Međurovo	2	65	55	53.6	47.2	-	-	51.6	45.1	-
250+129	Donje Međurovo	1	65	55	61.5	55	-	-	54.3	47.9	-
250+129	Donje Međurovo	2	65	55	62.9	56.5	-	1.5	55	48.6	-
250+135	Donje Međurovo	1	65	55	64.1	57.7	-	2.7	54.2	47.8	-
250+135	Donje Međurovo	2	65	55	65.5	59.1	0.5	4.1	55.3	48.9	-
250+137	Donje Međurovo	1	65	55	54.3	47.9	-	-	51.7	45.3	-
250+137	Donje Međurovo	2	65	55	55.2	48.7	-	-	52.5	46	-
250+141	Donje Međurovo	1	65	55	68.2	61.8	3.2	6.8	55.1	48.7	-
250+141	Donje Međurovo	2	65	55	68.3	61.9	3.3	6.9	57.8	51.4	-
250+143	Donje Međurovo	1	65	55	55.7	49.3	-	-	52.2	45.8	-
250+143	Donje Međurovo	2	65	55	56.7	50.3	-	-	53.1	46.7	-
250+145	Donje Međurovo	1	65	55	71.6	65.1	6.6	10.1	57.1	50.6	-
250+145	Donje Međurovo	2	65	55	71.4	65	6.4	10	61.6	55.2	0.2
250+148	Donje Međurovo	1	65	55	57.6	51.2	-	-	52.8	46.4	-
250+148	Donje Međurovo	2	65	55	59.1	52.7	-	-	53.9	47.5	-
250+154	Donje Međurovo	1	65	55	61.1	54.7	-	-	53.5	47.1	-
250+154	Donje Međurovo	2	65	55	62.2	55.8	-	0.8	55	48.6	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
250+154	Donje Međurovo	1	65	55	70.1	63.6	5.1	8.6	56.5	50	-
250+154	Donje Međurovo	2	65	55	70.1	63.7	5.1	8.7	60	53.6	-
250+179	Donje Međurovo	1	65	55	54.9	48.5	-	-	54.8	48.4	-
250+207	Donje Međurovo	1	65	55	54.6	48.2	-	-	54.5	48.1	-
252+350	Gornje Međurovo	1	65	55	59	52.6	-	-	57.3	50.9	-
252+361	Gornje Međurovo	1	65	55	62.3	55.9	-	0.9	57.4	51	-
252+363	Gornje Međurovo	1	65	55	69.9	63.5	4.9	8.5	59.1	52.7	-
252+393	Gornje Međurovo	1	65	55	68.6	62.2	3.6	7.2	59.5	53.1	-
252+455	Gornje Međurovo	1	65	55	69.9	63.5	4.9	8.5	58.3	51.9	-
252+495	Gornje Međurovo	1	65	55	68	61.6	3	6.6	56.5	50.1	-
252+504	Gornje Međurovo	1	65	55	63.6	57.2	-	2.2	53.7	47.3	-
252+522	Gornje Međurovo	1	65	55	62.9	56.4	-	1.4	53.6	47.2	-
252+522	Gornje Međurovo	2	65	55	64.3	57.9	-	2.9	55.1	48.7	-
252+541	Gornje Međurovo	1	65	55	64.2	57.8	-	2.8	54.1	47.7	-
252+541	Gornje Međurovo	2	65	55	65.6	59.2	0.6	4.2	55.8	49.4	-
252+574	Gornje Međurovo	1	65	55	67.6	61.2	2.6	6.2	56.2	49.8	-
252+574	Gornje Međurovo	2	65	55	67.8	61.4	2.8	6.4	58.8	52.4	-
252+620	Gornje Međurovo	1	65	55	68.7	62.2	3.7	7.2	57.2	50.8	-
252+620	Gornje Međurovo	2	65	55	68.7	62.3	3.7	7.3	60.5	54.1	-
252+666	Gornje Međurovo	1	65	55	69	62.6	4	7.6	57.6	51.2	-
252+666	Gornje Međurovo	2	65	55	69.1	62.7	4.1	7.7	61.1	54.7	-
252+711	Gornje Međurovo	1	65	55	69.2	62.8	4.2	7.8	57.7	51.3	-
252+711	Gornje Međurovo	2	65	55	69.2	62.8	4.2	7.8	61.4	55	-
252+757	Gornje Međurovo	1	65	55	68.9	62.5	3.9	7.5	57.3	50.9	-
252+757	Gornje Međurovo	2	65	55	68.9	62.5	3.9	7.5	60.7	54.3	-
252+850	Gornje Međurovo	1	65	55	68.2	61.8	3.2	6.8	54.4	48	-
252+850	Gornje Međurovo	2	65	55	68.4	62	3.4	7	56.6	50.2	-
252+850	Gornje Međurovo	3	65	55	68.3	61.9	3.3	6.9	59.3	52.9	-
252+898	Gornje Međurovo	1	65	55	65.7	59.3	0.7	4.3	52	45.6	-
252+898	Gornje Međurovo	2	65	55	66.5	60.1	1.5	5.1	53.5	47.1	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
252+898	Gornje Međurovo	3	65	55	66.7	60.3	1.7	5.3	55.3	48.9	-
252+979	Gornje Međurovo	1	65	55	69.6	63.2	4.6	8.2	55.1	48.7	-
252+979	Gornje Međurovo	2	65	55	69.6	63.2	4.6	8.2	58	51.6	-
252+979	Gornje Međurovo	3	65	55	69.4	63	4.4	8	61.9	55	-
253+006	Gornje Međurovo	1	65	55	69	62.6	4	7.6	54.7	48.3	-
253+006	Gornje Međurovo	2	65	55	69	62.6	4	7.6	57.1	50.7	-
253+006	Gornje Međurovo	3	65	55	68.9	62.5	3.9	7.5	60.4	54	-
253+011	Gornje Međurovo	1	65	55	61.8	55.4	-	0.4	51.9	45.5	-
253+011	Gornje Međurovo	2	65	55	62.9	56.5	-	1.5	52.8	46.4	-
253+011	Gornje Međurovo	3	65	55	63	56.6	-	1.6	53.9	47.5	-
253+727	Belotinac	1	65	55	56.8	50.3	-	-	56.8	50.3	-
253+727	Belotinac	2	65	55	57.3	50.9	-	-	57.3	50.9	-
253+744	Belotinac	1	65	55	56	49.6	-	-	56	49.6	-
253+744	Belotinac	2	65	55	56.6	50.2	-	-	56.6	50.2	-
253+766	Belotinac	1	65	55	58.1	51.7	-	-	58.1	51.7	-
253+766	Belotinac	2	65	55	58.7	52.3	-	-	58.7	52.3	-
253+791	Belotinac	1	65	55	57.9	51.4	-	-	57.9	51.4	-
253+791	Belotinac	2	65	55	58.6	52.2	-	-	58.6	52.2	-
253+831	Belotinac	1	65	55	56.7	50.3	-	-	56.7	50.3	-
253+831	Belotinac	2	65	55	57.6	51.2	-	-	57.6	51.2	-
253+904	Belotinac	1	65	55	55	48.6	-	-	55	48.6	-
253+904	Belotinac	2	65	55	56.4	50	-	-	56.4	50	-
253+955	Belotinac	1	65	55	52.7	46.3	-	-	52.7	46.3	-
253+955	Belotinac	2	65	55	53.8	47.4	-	-	53.8	47.4	-
254+028	Belotinac	1	65	55	55.5	49.1	-	-	55.5	49.1	-
254+028	Belotinac	2	65	55	56.6	50.2	-	-	56.6	50.2	-
254+073	Belotinac	1	65	55	57.7	51.3	-	-	57.7	51.3	-
254+073	Belotinac	2	65	55	58.7	52.3	-	-	58.7	52.3	-
254+147	Belotinac	1	65	55	58.3	51.9	-	-	58.2	51.8	-
254+147	Belotinac	2	65	55	59.4	53	-	-	59.4	53	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
254+226	Belotinac	1	65	55	59.5	53.1	-	-	58.7	52.3	-
254+226	Belotinac	2	65	55	60.5	54.1	-	-	59.8	53.4	-
254+306	Belotinac	1	65	55	63.7	57.3	-	2.3	58.2	51.8	-
254+306	Belotinac	2	65	55	65.8	59.4	0.8	4.4	61.5	55.1	0.1
254+441	Belotinac	1	65	55	65.1	58.7	0.1	3.7	58.5	52.1	-
254+441	Belotinac	2	65	55	66.7	60.3	1.7	5.3	62.2	55.8	0.8
254+591	Belotinac	1	65	55	67.3	60.9	2.3	5.9	56.9	50.5	-
254+591	Belotinac	2	65	55	68.2	61.8	3.2	6.8	59.7	53.3	-
254+657	Belotinac	1	65	55	67.4	61	2.4	6	57	50.6	-
254+657	Belotinac	2	65	55	68.3	61.9	3.3	6.9	59.9	53.5	-
254+754	Belotinac	1	65	55	67.5	61.1	2.5	6.1	57	50.6	-
254+754	Belotinac	2	65	55	68.4	62	3.4	7	60	53.6	-
254+836	Belotinac	1	65	55	69.4	63	4.4	8	58.1	51.7	-
254+836	Belotinac	2	65	55	69.6	63.2	4.6	8.2	61.9	55.5	0.5
254+879	Belotinac	1	65	55	69.7	63.2	4.7	8.2	58.1	51.6	-
254+879	Belotinac	2	65	55	69.6	63.2	4.6	8.2	62.2	55.8	0.8
254+905	Belotinac	1	65	55	65.2	58.8	0.2	3.8	55	48.6	-
254+905	Belotinac	2	65	55	65.3	58.9	0.3	3.9	56.5	50.1	-
254+923	Belotinac	1	65	55	58	51.6	-	-	55.1	48.7	-
254+923	Belotinac	2	65	55	58.7	52.3	-	-	55.7	49.3	-
254+968	Belotinac	1	65	55	56.4	50	-	-	55.2	48.8	-
254+968	Belotinac	2	65	55	56.9	50.5	-	-	55.7	49.3	-
255+066	Čapljinac	1	65	55	55.7	49.3	-	-	55	48.6	-
255+066	Čapljinac	2	65	55	56.2	49.7	-	-	55.5	49.1	-
255+117	Čapljinac	1	65	55	56.2	49.8	-	-	55.5	49.1	-
255+117	Čapljinac	2	65	55	56.7	50.3	-	-	56	49.6	-
255+190	Čapljinac	1	65	55	61.1	54.6	-	-	57.9	51.5	-
255+190	Čapljinac	2	65	55	62.1	55.7	-	0.7	58.9	52.5	-
255+265	Čapljinac	1	65	55	65.8	59.4	0.8	4.4	55.3	48.9	-
255+265	Čapljinac	2	65	55	66.7	60.3	1.7	5.3	57.2	50.8	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
255+294	Čapljinac	1	65	55	65.6	59.2	0.6	4.2	55.4	48.9	-
255+294	Čapljinac	2	65	55	66.8	60.4	1.8	5.4	57.3	50.9	-
255+342	Čapljinac	1	65	55	62.2	55.7	-	0.7	53.5	47.1	-
255+342	Čapljinac	2	65	55	63.5	57.1	-	2.1	54.7	48.3	-
255+342	Čapljinac	1	65	55	57.1	50.7	-	-	55.1	48.7	-
255+342	Čapljinac	2	65	55	57.5	51.1	-	-	55.5	49.1	-
255+373	Čapljinac	1	65	55	61.5	55.1	-	0.1	53.3	46.9	-
255+373	Čapljinac	2	65	55	62.6	56.1	-	1.1	54.4	47.9	-
255+390	Čapljinac	1	65	55	56.4	50	-	-	53.6	47.2	-
255+390	Čapljinac	2	65	55	56.9	50.5	-	-	54.2	47.8	-
255+398	Čapljinac	1	65	55	69.3	62.9	4.3	7.9	58.7	52.3	-
255+398	Čapljinac	2	65	55	69.6	63.2	4.6	8.2	62.2	55.8	0.8
255+398	Čapljinac	1	65	55	61.6	55.2	-	0.2	55.1	48.7	-
255+398	Čapljinac	2	65	55	63.2	56.8	-	1.8	56.4	50	-
255+408	Čapljinac	1	65	55	62.1	55.7	-	0.7	53.8	47.4	-
255+408	Čapljinac	2	65	55	63.4	57	-	2	54.9	48.5	-
255+410	Čapljinac	1	65	55	69.2	62.8	4.2	7.8	58.7	52.3	-
255+410	Čapljinac	2	65	55	69.6	63.2	4.6	8.2	62.4	56	1
255+437	Čapljinac	1	65	55	64.5	58.1	-	3.1	55.8	49.4	-
255+437	Čapljinac	2	65	55	66.8	60.4	1.8	5.4	57.7	51.3	-
255+438	Čapljinac	1	65	55	68.6	62.1	3.6	7.1	58.9	52.4	-
255+438	Čapljinac	2	65	55	69.7	63.3	4.7	8.3	62.2	55.8	0.8
255+449	Čapljinac	1	65	55	69	62.6	4	7.6	58.7	52.3	-
255+449	Čapljinac	2	65	55	69.7	63.3	4.7	8.3	62.2	55.8	0.8
255+455	Čapljinac	1	65	55	65.8	59.4	0.8	4.4	56.2	49.8	-
255+455	Čapljinac	2	65	55	67.2	60.8	2.2	5.8	58.5	52.1	-
255+470	Čapljinac	1	65	55	60.1	53.7	-	-	56.6	50.2	-
255+470	Čapljinac	2	65	55	62.4	56	-	1	58.5	52.1	-
255+473	Čapljinac	1	65	55	65.2	58.8	0.2	3.8	55.5	49.1	-
255+473	Čapljinac	2	65	55	66.8	60.4	1.8	5.4	57.3	50.9	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
255+503	Čapljinac	1	65	55	56.4	50	-	-	53.8	47.4	-
255+503	Čapljinac	2	65	55	57.9	51.5	-	-	54.7	48.3	-
255+504	Čapljinac	1	65	55	66.8	60.3	1.8	5.3	55.9	49.5	-
255+504	Čapljinac	2	65	55	67.4	60.9	2.4	5.9	58.2	51.8	-
255+516	Čapljinac	1	65	55	67.8	61.4	2.8	6.4	56.7	50.3	-
255+516	Čapljinac	2	65	55	68.1	61.7	3.1	6.7	59.4	53	-
255+522	Čapljinac	1	65	55	67.1	60.7	2.1	5.7	55.8	49.4	-
255+522	Čapljinac	2	65	55	67.4	61	2.4	6	58.3	51.9	-
255+526	Čapljinac	1	65	55	65.6	59.2	0.6	4.2	54.8	48.4	-
255+526	Čapljinac	2	65	55	66.5	60.1	1.5	5.1	56.8	50.4	-
255+532	Čapljinac	1	65	55	63.8	57.4	-	2.4	53.7	47.3	-
255+532	Čapljinac	2	65	55	65.3	58.9	0.3	3.9	55.2	48.8	-
255+561	Čapljinac	1	65	55	63.5	57.1	-	2.1	53.6	47.2	-
255+561	Čapljinac	2	65	55	65	58.6	-	3.6	55	48.6	-
255+572	Čapljinac	1	65	55	65.8	59.4	0.8	4.4	54.8	48.4	-
255+572	Čapljinac	2	65	55	66.6	60.1	1.6	5.1	56.7	50.3	-
255+580	Čapljinac	1	65	55	67.7	61.3	2.7	6.3	56.1	49.7	-
255+580	Čapljinac	2	65	55	67.8	61.4	2.8	6.4	58.7	52.3	-
255+606	Čapljinac	1	65	55	68.6	62.2	3.6	7.2	57.4	51	-
255+606	Čapljinac	2	65	55	68.7	62.3	3.7	7.3	60.6	54.2	-
255+659	Čapljinac	1	65	55	69.1	62.7	4.1	7.7	57.8	51.4	-
255+659	Čapljinac	2	65	55	69.1	62.7	4.1	7.7	61.4	55	-
255+725	Čapljinac	1	65	55	69.8	63.4	4.8	8.4	58.5	52.1	-
255+725	Čapljinac	2	65	55	69.8	63.4	4.8	8.4	62.9	55	-
255+764	Čapljinac	1	65	55	69.4	63	4.4	8	58.1	51.7	-
255+764	Čapljinac	2	65	55	69.5	63.1	4.5	8.1	62.1	54.8	-
255+776	Čapljinac	1	65	55	68.7	62.3	3.7	7.3	58	51.6	-
255+776	Čapljinac	2	65	55	68.8	62.4	3.8	7.4	61.1	54.7	-
256+690	Malošiste	1	65	55	63.9	57.5	-	2.5	55.5	49.1	-
256+690	Malošiste	2	65	55	65.6	59.2	0.6	4.2	57	50.6	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
256+702	Malošiste	1	65	55	66.4	60	1.4	5	56.1	49.7	-
256+702	Malošiste	2	65	55	67.2	60.8	2.2	5.8	58.5	52.1	-
256+740	Malošiste	1	65	55	68.8	62.4	3.8	7.4	58.1	51.7	-
256+740	Malošiste	2	65	55	69	62.6	4	7.6	61.7	54.8	-
256+763	Malošiste	1	65	55	68.2	61.8	3.2	6.8	57.1	50.7	-
256+763	Malošiste	2	65	55	68.3	61.9	3.3	6.9	60.3	53.8	-
256+775	Malošiste	1	65	55	67.5	61.1	2.5	6.1	56.5	50.1	-
256+775	Malošiste	2	65	55	68	61.6	3	6.6	59	52.6	-
256+786	Malošiste	1	65	55	64.8	58.4	-	3.4	54.8	48.4	-
256+786	Malošiste	2	65	55	65.9	59.5	0.9	4.5	56.5	50	-
256+814	Malošiste	1	65	55	70.4	64	5.4	9	60.2	53.8	-
256+814	Malošiste	2	65	55	70.3	63.9	5.3	8.9	64.8	54.8	-
256+817	Malošiste	1	65	55	64	57.6	-	2.6	54.5	48.1	-
256+817	Malošiste	2	65	55	65.5	59.1	0.5	4.1	55.9	49.5	-
256+822	Malošiste	1	65	55	70.3	63.9	5.3	8.9	59.9	53.5	-
256+822	Malošiste	2	65	55	70.2	63.8	5.2	8.8	61.2	54.8	-
256+825	Malošiste	1	65	55	65.1	58.6	0.1	3.6	55.3	48.8	-
256+825	Malošiste	2	65	55	66.4	60	1.4	5	56.8	50.4	-
256+832	Malošiste	1	65	55	63.8	57.4	-	2.4	54.3	47.9	-
256+832	Malošiste	2	65	55	65.2	58.8	0.2	3.8	55.6	49.2	-
256+834	Malošiste	1	65	55	70.2	63.8	5.2	8.8	59.7	53.3	-
256+834	Malošiste	2	65	55	70.1	63.7	5.1	8.7	61.5	55.1	0.1
256+836	Malošiste	1	65	55	57.2	50.8	-	-	49.8	43.4	-
256+836	Malošiste	2	65	55	57.8	51.4	-	-	50.5	44.1	-
256+859	Malošiste	1	65	55	70.1	63.7	5.1	8.7	59.3	52.9	-
256+859	Malošiste	2	65	55	70	63.6	5	8.6	61.5	55.1	0.1
256+878	Malošiste	1	65	55	59.1	52.7	-	-	51.3	44.9	-
256+878	Malošiste	2	65	55	59.8	53.4	-	-	52	45.6	-
256+901	Malošiste	1	65	55	59.4	53	-	-	50.8	44.4	-
256+901	Malošiste	2	65	55	60	53.6	-	-	51.5	45.1	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
256+906	Malošiste	1	65	55	69.9	63.5	4.9	8.5	59.1	52.7	-
256+906	Malošiste	2	65	55	69.9	63.5	4.9	8.5	61.5	55.1	0.1
256+924	Malošiste	1	65	55	58.9	52.4	-	-	51.1	44.6	-
256+924	Malošiste	2	65	55	59.5	53.1	-	-	51.7	45.3	-
256+936	Malošiste	1	65	55	61.1	54.7	-	-	52.5	46.1	-
256+936	Malošiste	2	65	55	62.2	55.8	-	0.8	53.5	47.1	-
256+943	Malošiste	1	65	55	63	56.6	-	1.6	54.1	47.7	-
256+943	Malošiste	2	65	55	64.3	57.9	-	2.9	55.2	48.8	-
256+958	Malošiste	1	65	55	63.2	56.7	-	1.7	54.3	47.8	-
256+958	Malošiste	2	65	55	64.8	58.4	-	3.4	55.5	49.1	-
256+963	Malošiste	1	65	55	69.9	63.5	4.9	8.5	59.1	52.7	-
256+963	Malošiste	2	65	55	70.2	63.8	5.2	8.8	61.5	55.1	0.1
256+965	Malošiste	1	65	55	71.7	65.3	6.7	10.3	58.3	51.9	-
256+965	Malošiste	2	65	55	71.6	65.2	6.6	10.2	62.6	56.2	1.2
256+983	Malošiste	1	65	55	73	66.6	8	11.6	59.5	53.1	-
256+983	Malošiste	2	65	55	72.7	66.3	7.7	11.3	62.7	56.3	1.3
257+021	Malošiste	1	65	55	61.1	54.7	-	-	58.7	52.3	-
257+021	Malošiste	2	65	55	63.8	57.4	-	2.4	61.4	55	-
257+038	Malošiste	1	65	55	67.1	60.7	2.1	5.7	57.5	51.1	-
257+038	Malošiste	2	65	55	67.8	61.4	2.8	6.4	60.4	54	-
257+045	Malošiste	1	65	55	53.9	47.5	-	-	50.8	44.4	-
257+045	Malošiste	2	65	55	55	48.6	-	-	51.6	45.2	-
257+059	Malošiste	1	65	55	55.1	48.7	-	-	51.3	44.9	-
257+059	Malošiste	2	65	55	56	49.6	-	-	52.1	45.7	-
257+093	Malošiste	1	65	55	56.7	50.3	-	-	51.4	45	-
257+093	Malošiste	2	65	55	57.5	51.1	-	-	52.2	45.8	-
257+096	Malošiste	1	65	55	62.1	55.7	-	0.7	54.9	48.5	-
257+096	Malošiste	2	65	55	63.4	57	-	2	56.5	50.1	-
257+124	Malošiste	1	65	55	64.6	58.2	-	3.2	57.7	51.3	-
257+124	Malošiste	2	65	55	66.6	60.2	1.6	5.2	61.7	55.3	0.3

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
257+126	Malošišće	1	65	55	58.6	52.2	-	-	52.3	45.9	-
257+126	Malošišće	2	65	55	59.8	53.4	-	-	53.1	46.7	-
257+131	Malošišće	1	65	55	68	61.6	3	6.6	58.7	52.3	-
257+131	Malošišće	2	65	55	71.5	65.1	6.5	10.1	62.2	55.8	0.8
257+147	Malošišće	1	65	55	67.2	60.8	2.2	5.8	60	53.6	-
257+147	Malošišće	2	65	55	70.4	64	5.4	9	62.5	56.1	1.1
257+151	Malošišće	1	65	55	58.8	52.4	-	-	52.1	45.7	-
257+151	Malošišće	2	65	55	60	53.6	-	-	52.9	46.5	-
257+172	Malošišće	1	65	55	67.5	61.1	2.5	6.1	59.3	52.9	-
257+172	Malošišće	2	65	55	69.5	63.1	4.5	8.1	61.2	54.8	-
257+187	Malošišće	1	65	55	67.7	61.3	2.7	6.3	58.3	51.9	-
257+187	Malošišće	2	65	55	67.9	61.5	2.9	6.5	60.9	54.5	-
257+195	Malošišće	1	65	55	64.8	58.4	-	3.4	57.9	51.5	-
257+195	Malošišće	2	65	55	66.9	60.5	1.9	5.5	61.9	55.5	0.5
257+200	Malošišće	1	65	55	65.8	59.4	0.8	4.4	55.8	49.4	-
257+200	Malošišće	2	65	55	66	59.6	1	4.6	58.3	51.9	-
257+211	Malošišće	1	65	55	65.3	58.9	0.3	3.9	54.5	48	-
257+211	Malošišće	2	65	55	65.9	59.5	0.9	4.5	56.8	50.4	-
257+258	Malošišće	1	65	55	52.2	45.7	-	-	48.1	41.6	-
257+258	Malošišće	2	65	55	55	48.6	-	-	50.3	43.9	-
257+266	Malošišće	1	65	55	55	48.6	-	-	53.9	47.5	-
257+266	Malošišće	2	65	55	56.4	50	-	-	55.2	48.8	-
257+312	Malošišće	1	65	55	57.4	50.9	-	-	56.1	49.6	-
257+312	Malošišće	2	65	55	58.4	52	-	-	57.1	50.7	-
257+320	Malošišće	1	65	55	66	59.6	1	4.6	59.9	53.5	-
257+320	Malošišće	2	65	55	68.7	62.3	3.7	7.3	61.6	55.2	0.2
257+356	Malošišće	1	65	55	59.2	52.7	-	-	58	51.5	-
257+356	Malošišće	2	65	55	59.8	53.3	-	-	58.6	52.1	-
257+377	Malošišće	1	65	55	66.8	60.4	1.8	5.4	61	54.6	-
257+377	Malošišće	2	65	55	70.5	64.1	5.5	9.1	62.1	55.7	0.7

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
257+417	Malošiste	1	65	55	58.6	52.2	-	-	57.7	51.3	-
257+417	Malošiste	2	65	55	59.3	52.9	-	-	58.4	52	-
257+499	Malošiste	1	65	55	61.9	55.5	-	0.5	52.9	46.5	-
257+499	Malošiste	2	65	55	62.9	56.5	-	1.5	53.8	47.4	-
257+530	Malošiste	1	65	55	60	53.6	-	-	58.9	52.5	-
257+530	Malošiste	2	65	55	60.8	54.4	-	-	59.6	53.2	-
257+547	Malošiste	1	65	55	60.2	53.8	-	-	57.9	51.5	-
257+547	Malošiste	2	65	55	61	54.6	-	-	58.5	52.1	-
257+556	Malošiste	1	65	55	63.7	57.3	-	2.3	54.5	48.1	-
257+556	Malošiste	2	65	55	64.6	58.2	-	3.2	55.7	49.3	-
257+625	Malošiste	1	65	55	61.5	55.1	-	0.1	53.9	47.5	-
257+625	Malošiste	2	65	55	63	56.6	-	1.6	54.7	48.3	-
257+632	Malošiste	1	65	55	63.6	57.2	-	2.2	54.7	48.3	-
257+632	Malošiste	2	65	55	65	58.6	-	3.6	55.9	49.5	-
257+681	Malošiste	1	65	55	62.3	55.8	-	0.8	53.8	47.4	-
257+681	Malošiste	2	65	55	63.4	57	-	2	54.6	48.2	-
257+722	Malošiste	1	65	55	66.2	59.8	1.2	4.8	56	49.5	-
257+722	Malošiste	2	65	55	67.1	60.7	2.1	5.7	57.8	51.4	-
257+726	Malošiste	1	65	55	62.8	56.4	-	1.4	54.2	47.8	-
257+726	Malošiste	2	65	55	64.1	57.7	-	2.7	55.1	48.7	-
257+768	Malošiste	1	65	55	62.4	56	-	1	55.3	48.8	-
257+768	Malošiste	2	65	55	63.6	57.2	-	2.2	56.1	49.7	-
257+799	Malošiste	1	65	55	61.3	54.9	-	-	57.7	51.3	-
257+799	Malošiste	2	65	55	62.2	55.8	-	0.8	58.5	52.1	-
257+813	Malošiste	1	65	55	66.8	60.4	1.8	5.4	56.1	49.7	-
257+813	Malošiste	2	65	55	67.3	60.9	2.3	5.9	58.1	51.7	-
257+817	Malošiste	1	65	55	60.2	53.8	-	-	58.4	52	-
257+817	Malošiste	2	65	55	61.1	54.7	-	-	59.3	52.8	-
257+835	Malošiste	1	65	55	60.1	53.7	-	-	59.9	53.5	-
257+835	Malošiste	2	65	55	60.8	54.4	-	-	60.6	54.2	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
257+847	Malošiste	1	65	55	57.5	51.1	-	-	56.6	50.2	-
257+847	Malošiste	2	65	55	58.2	51.8	-	-	57.3	50.9	-
257+923	Malošiste	1	65	55	66.3	59.9	1.3	4.9	55.5	49.1	-
257+923	Malošiste	2	65	55	67.1	60.7	2.1	5.7	57.6	51.1	-
257+976	Malošiste	1	65	55	66.6	60.2	1.6	5.2	55.5	49.1	-
257+976	Malošiste	2	65	55	67.2	60.8	2.2	5.8	57.6	51.2	-
258+070	Malošiste	1	65	55	66.3	59.9	1.3	4.9	55.4	49	-
258+070	Malošiste	2	65	55	67.1	60.7	2.1	5.7	57.5	51	-
258+129	Malošiste	1	65	55	66.7	60.3	1.7	5.3	55.6	49.1	-
258+129	Malošiste	2	65	55	67.4	61	2.4	6	57.8	51.4	-
258+196	Malošiste	1	65	55	65.7	59.3	0.7	4.3	54.8	48.4	-
258+196	Malošiste	2	65	55	66.6	60.2	1.6	5.2	56.6	50.2	-
258+260	Malošiste	1	65	55	65.5	59.1	0.5	4.1	54.9	48.5	-
258+260	Malošiste	2	65	55	66.8	60.4	1.8	5.4	56.7	50.3	-
258+307	Malošiste	1	65	55	64.9	58.5	-	3.5	55.4	48.9	-
258+307	Malošiste	2	65	55	66.5	60.1	1.5	5.1	56.9	50.5	-
258+318	Malošiste	1	65	55	61.6	55.2	-	0.2	54.5	48.1	-
258+318	Malošiste	2	65	55	63.5	57.1	-	2.1	55.8	49.4	-
258+323	Malošiste	1	65	55	59.2	52.8	-	-	54.3	47.9	-
258+323	Malošiste	2	65	55	60.6	54.1	-	-	55.5	49.1	-
258+329	Malošiste	1	65	55	57.1	50.7	-	-	54	47.5	-
258+329	Malošiste	2	65	55	58.1	51.7	-	-	55.1	48.6	-
260+832	Doljevac	1	65	55	63	56.6	-	1.6	56.7	50.3	-
260+832	Doljevac	2	65	55	63.9	57.5	-	2.5	59.1	52.7	-
260+836	Doljevac	1	65	55	66.1	59.7	1.1	4.7	57.8	51.4	-
260+836	Doljevac	2	65	55	66.7	60.2	1.7	5.2	59.5	53.1	-
260+854	Doljevac	1	65	55	65.6	59.2	0.6	4.2	56	49.6	-
260+854	Doljevac	2	65	55	66.5	60.1	1.5	5.1	57.6	51.2	-
260+876	Doljevac	1	65	55	64.8	58.4	-	3.4	55.2	48.8	-
260+876	Doljevac	2	65	55	66.1	59.7	1.1	4.7	56.8	50.4	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
260+955	Doljevac	1	65	55	60.8	54.4	-	-	54.7	48.2	-
260+955	Doljevac	2	65	55	61.9	55.5	-	0.5	56.1	49.7	-
261+009	Doljevac	1	65	55	58.8	52.4	-	-	53.6	47.2	-
261+009	Doljevac	2	65	55	59.8	53.4	-	-	55.6	49.2	-
261+009	Doljevac	3	65	55	60.8	54.4	-	-	57.1	50.7	-
261+015	Doljevac	1	65	55	61	54.6	-	-	56.8	50.4	-
261+015	Doljevac	2	65	55	62.1	55.6	-	0.6	58.9	52.4	-
261+015	Doljevac	3	65	55	63.1	56.7	-	1.7	60	53.6	-
261+055	Doljevac	1	65	55	58.3	51.9	-	-	57	50.6	-
261+055	Doljevac	2	65	55	58.9	52.4	-	-	57.9	51.5	-
261+062	Doljevac	1	65	55	60.3	53.9	-	-	57.2	50.8	-
261+062	Doljevac	2	65	55	61.2	54.8	-	-	59.1	52.7	-
261+062	Doljevac	3	65	55	62	55.6	-	0.6	59.8	53.4	-
261+074	Doljevac	1	65	55	58.9	52.5	-	-	57	50.6	-
261+074	Doljevac	2	65	55	59.7	53.3	-	-	58.2	51.8	-
261+091	Doljevac	1	65	55	60.5	54.1	-	-	57.5	51.1	-
261+091	Doljevac	2	65	55	61.4	55	-	-	59.4	53	-
261+091	Doljevac	3	65	55	62.3	55.9	-	0.9	60.6	54.2	-
261+120	Doljevac	1	65	55	61.3	54.8	-	-	57.8	51.3	-
261+120	Doljevac	2	65	55	62.5	56	-	1	60.1	53.6	-
261+120	Doljevac	3	65	55	63.6	57.2	-	2.2	62	55.6	0.6
261+121	Doljevac	1	65	55	63.1	56.7	-	1.7	59.3	52.9	-
261+121	Doljevac	2	65	55	64.8	58.4	-	3.4	61.7	55.3	0.3
261+177	Doljevac	1	65	55	63.4	57	-	2	59.6	53.2	-
261+177	Doljevac	2	65	55	65.1	58.7	0.1	3.7	61.8	55.4	0.4
261+178	Doljevac	1	65	55	58.3	51.9	-	-	55.5	49.1	-
261+178	Doljevac	2	65	55	60.5	54.1	-	-	58	51.6	-
261+178	Doljevac	3	65	55	62.3	55.9	-	0.9	60.1	53.7	-
261+221	Doljevac	1	65	55	51.7	45.3	-	-	51	44.6	-
261+221	Doljevac	2	65	55	52.9	46.5	-	-	52.5	46.1	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
261+221	Doljevac	3	65	55	54.8	48.4	-	-	54.4	48	-
261+233	Doljevac	1	65	55	62.6	56.2	-	1.2	59.1	52.7	-
261+233	Doljevac	2	65	55	64.2	57.8	-	2.8	61.5	55.1	0.1
261+257	Doljevac	1	65	55	56.4	50	-	-	55.8	49.4	-
261+257	Doljevac	2	65	55	57.9	51.5	-	-	57.5	51.1	-
261+257	Doljevac	3	65	55	59.5	53.1	-	-	59.2	52.8	-
261+308	Doljevac	1	65	55	60	53.6	-	-	57	50.6	-
261+308	Doljevac	2	65	55	61.2	54.7	-	-	59.2	52.7	-
261+310	Doljevac	1	65	55	56.7	50.3	-	-	56.1	49.7	-
261+310	Doljevac	2	65	55	58	51.6	-	-	57.6	51.1	-
261+310	Doljevac	3	65	55	59.3	52.9	-	-	59	52.6	-
261+343	Doljevac	1	65	55	56.1	49.7	-	-	55.6	49.1	-
261+343	Doljevac	2	65	55	57.4	51	-	-	57	50.6	-
261+343	Doljevac	3	65	55	58.7	52.3	-	-	58.4	52	-
261+356	Doljevac	1	65	55	60.1	53.7	-	-	56.5	50.1	-
261+356	Doljevac	2	65	55	61.9	55.5	-	0.5	59.2	52.8	-
261+356	Doljevac	3	65	55	63.1	56.7	-	1.7	60.7	54.3	-
261+378	Doljevac	1	65	55	57.9	51.4	-	-	57.6	51.1	-
261+378	Doljevac	2	65	55	60.3	53.9	-	-	60.1	53.7	-
261+421	Doljevac	1	65	55	58.9	52.5	-	-	55.8	49.4	-
261+421	Doljevac	2	65	55	60.5	54.1	-	-	58.1	51.7	-
261+421	Doljevac	3	65	55	62	55.6	-	0.6	59.7	53.3	-
261+426	Doljevac	1	65	55	57.3	50.9	-	-	57	50.6	-
261+426	Doljevac	2	65	55	58.4	52	-	-	58.2	51.8	-
261+471	Doljevac	1	65	55	58.4	52	-	-	57.7	51.3	-
261+471	Doljevac	2	65	55	59.8	53.4	-	-	59.3	52.9	-
261+471	Doljevac	3	65	55	61	54.6	-	-	60.7	54.3	-
261+483	Doljevac	1	65	55	62.6	56.2	-	1.2	60.5	54.1	-
261+483	Doljevac	2	65	55	63.8	57.4	-	2.4	62.1	55.7	0.7
261+499	Doljevac	1	65	55	60.1	53.7	-	-	60.1	53.7	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
261+499	Doljevac	2	65	55	60.6	54.1	-	-	60.6	54.1	-
261+524	Doljevac	1	65	55	58	51.6	-	-	57.9	51.5	-
261+524	Doljevac	2	65	55	59.6	53.2	-	-	59.5	53.1	-
261+524	Doljevac	3	65	55	60.9	54.5	-	-	60.9	54.5	-
261+539	Doljevac	1	65	55	54.3	47.9	-	-	54.2	47.8	-
261+539	Doljevac	2	65	55	54.9	48.5	-	-	54.9	48.5	-
261+585	Doljevac	1	65	55	62.2	55.7	-	0.7	60.1	53.6	-
261+585	Doljevac	2	65	55	63.6	57.2	-	2.2	61.4	55	-
261+621	Doljevac	1	65	55	62	55.6	-	0.6	59.7	53.3	-
261+621	Doljevac	2	65	55	63.1	56.6	-	1.6	61.3	54.8	-
261+644	Doljevac	1	65	55	58.4	52	-	-	57.4	51	-
261+644	Doljevac	2	65	55	60.2	53.8	-	-	59.3	52.9	-
261+644	Doljevac	3	65	55	61.6	55.2	-	0.2	61.1	54.7	-
261+695	Doljevac	1	65	55	70.7	64.2	5.7	9.2	61.1	54.6	-
261+695	Doljevac	2	65	55	70.6	64.2	5.6	9.2	62.7	56.3	1.3
261+723	Doljevac	1	65	55	71.2	64.8	6.2	9.8	60.9	54.5	-
261+723	Doljevac	2	65	55	71	64.6	6	9.6	62.5	56.1	1.1
261+731	Doljevac	1	65	55	62.6	56.2	-	1.2	57.9	51.5	-
261+731	Doljevac	2	65	55	64.3	57.9	-	2.9	61.1	54.7	-
261+731	Doljevac	3	65	55	65.5	59.1	0.5	4.1	62.2	55.8	0.8
261+746	Doljevac	1	65	55	68.2	61.8	3.2	6.8	60.5	54.1	-
261+746	Doljevac	2	65	55	68.6	62.2	3.6	7.2	63.7	57.3	2.3
261+808	Doljevac	1	65	55	62.4	56	-	1	55.9	49.5	-
261+808	Doljevac	2	65	55	63.8	57.4	-	2.4	57.9	51.5	-
261+814	Doljevac	1	65	55	63.6	57.2	-	2.2	56.3	49.8	-
261+814	Doljevac	2	65	55	65.4	59	0.4	4	58.2	51.8	-
261+821	Doljevac	1	65	55	65.7	59.3	0.7	4.3	56.6	50.2	-
261+821	Doljevac	2	65	55	66.9	60.5	1.9	5.5	59	52.6	-
261+821	Doljevac	1	65	55	68.9	62.5	3.9	7.5	62.4	53.8	-
261+821	Doljevac	2	65	55	69.1	62.7	4.1	7.7	69	55	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
261+821	Doljevac	3	65	55	68.9	62.5	3.9	7.5	63.6	57.2	2.2
261+829	Doljevac	1	65	55	68.1	61.7	3.1	6.7	57.8	51.4	-
261+829	Doljevac	2	65	55	68.7	62.3	3.7	7.3	60.3	53.9	-
261+829	Doljevac	1	65	55	68.1	61.7	3.1	6.7	57.8	51.4	-
261+829	Doljevac	2	65	55	68.7	62.3	3.7	7.3	60.3	53.9	-
261+840	Doljevac	1	65	55	66.6	60.2	1.6	5.2	57.5	51.1	-
261+840	Doljevac	2	65	55	67.7	61.3	2.7	6.3	60	53.6	-
261+886	Doljevac	1	65	55	57.3	50.9	-	-	56	49.6	-
261+886	Doljevac	2	65	55	57.9	51.5	-	-	56.5	50.1	-
261+886	Doljevac	1	65	55	57.3	50.9	-	-	56	49.6	-
261+886	Doljevac	2	65	55	57.9	51.5	-	-	56.5	50.1	-
261+902	Doljevac	1	65	55	66	59.6	1	4.6	57.2	50.7	-
261+902	Doljevac	2	65	55	67	60.6	2	5.6	59.6	53.2	-
261+902	Doljevac	3	65	55	67	60.6	2	5.6	61.8	55	-
261+926	Doljevac	1	65	55	57.4	50.9	-	-	56.1	49.7	-
261+926	Doljevac	2	65	55	57.8	51.4	-	-	56.5	50.1	-
261+926	Doljevac	1	65	55	57.4	50.9	-	-	56.1	49.7	-
261+926	Doljevac	2	65	55	57.8	51.4	-	-	56.5	50.1	-
261+950	Doljevac	1	65	55	57	50.6	-	-	55.8	49.4	-
261+950	Doljevac	2	65	55	57.5	51.1	-	-	56.2	49.8	-
261+986	Doljevac	1	65	55	70.7	64.3	5.7	9.3	59.8	53.4	-
261+986	Doljevac	2	65	55	70.6	64.2	5.6	9.2	62.2	55.8	0.8
262+047	Doljevac	1	65	55	59.5	53.1	-	-	58.3	51.8	-
262+047	Doljevac	2	65	55	60.3	53.9	-	-	58.9	52.5	-
262+052	Doljevac	1	65	55	59.4	53	-	-	58.1	51.7	-
262+052	Doljevac	2	65	55	60.1	53.7	-	-	58.8	52.4	-
262+068	Doljevac	1	65	55	68.9	62.5	3.9	7.5	59.9	53.5	-
262+068	Doljevac	2	65	55	70.2	63.8	5.2	8.8	62.4	56	1
262+072	Doljevac	1	65	55	58.6	52.2	-	-	57.4	51	-
262+072	Doljevac	2	65	55	59.4	53	-	-	58.1	51.7	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
262+137	Doljevac	1	65	55	64.2	57.8	-	2.8	57.6	51.2	-
262+137	Doljevac	2	65	55	65.3	58.9	0.3	3.9	59.3	52.9	-
262+140	Doljevac	1	65	55	64.2	57.8	-	2.8	57.2	50.8	-
262+140	Doljevac	2	65	55	65.2	58.8	0.2	3.8	59	52.6	-
262+155	Doljevac	1	65	55	63.7	57.3	-	2.3	56.7	50.3	-
262+155	Doljevac	2	65	55	64.6	58.2	-	3.2	58.2	51.8	-
262+155	Doljevac	1	65	55	63.7	57.3	-	2.3	56.7	50.3	-
262+155	Doljevac	2	65	55	64.6	58.2	-	3.2	58.2	51.8	-
262+159	Doljevac	1	65	55	63.6	57.2	-	2.2	55.3	48.9	-
262+159	Doljevac	2	65	55	64	57.6	-	2.6	56.3	49.9	-
263+274	Kočane	1	65	55	57.3	50.9	-	-	56.1	49.7	-
263+283	Kočane	1	65	55	61.8	55.4	-	0.4	56.4	50	-
263+293	Kočane	1	65	55	61.6	55.2	-	0.2	54.8	48.4	-
263+302	Kočane	1	65	55	60.6	54.2	-	-	52.3	45.9	-
263+353	Kočane	1	65	55	57	50.6	-	-	50.7	44.3	-
263+353	Kočane	2	65	55	57.6	51.2	-	-	51.5	45.1	-
263+385	Kočane	1	65	55	59.5	53.1	-	-	51	44.6	-
263+385	Kočane	2	65	55	60.8	54.4	-	-	52	45.6	-
263+390	Kočane	1	65	55	62.4	56	-	1	58.8	52.4	-
263+390	Kočane	2	65	55	63.8	57.4	-	2.4	60.1	53.7	-
263+618	Kočane	1	65	55	56.2	49.8	-	-	55.9	49.5	-
263+618	Kočane	2	65	55	56.7	50.3	-	-	56.4	50	-
263+669	Kočane	1	65	55	56.1	49.7	-	-	55	48.6	-
263+669	Kočane	2	65	55	56.7	50.3	-	-	55.7	49.3	-
263+733	Kočane	1	65	55	67.6	61.2	2.6	6.2	57.6	51.2	-
263+733	Kočane	2	65	55	71.4	65	6.4	10	62.3	55.9	0.9
263+767	Kočane	1	65	55	69.4	63	4.4	8	55.7	49.3	-
263+767	Kočane	2	65	55	69.5	63.1	4.5	8.1	59.2	52.8	-
263+801	Kočane	1	65	55	70.4	64	5.4	9	56.1	49.7	-
263+801	Kočane	2	65	55	70.4	64	5.4	9	60.4	54	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
263+888	Kočane	1	65	55	70.2	63.8	5.2	8.8	57.1	50.7	-
263+888	Kočane	2	65	55	70.9	64.4	5.9	9.4	62.4	54.8	-
263+926	Kočane	1	65	55	61.1	54.7	-	-	57.8	51.4	-
263+926	Kočane	2	65	55	62.4	56	-	1	58.9	52.5	-
263+957	Kočane	1	65	55	60.7	54.3	-	-	59.9	53.5	-
263+957	Kočane	2	65	55	61.9	55.5	-	0.5	61.1	54.7	-
264+198	Kočane	1	65	55	58.9	52.5	-	-	58.9	52.5	-
264+198	Kočane	2	65	55	59.6	53.2	-	-	59.6	53.2	-
264+298	Kočane	1	65	55	53.9	47.5	-	-	53.9	47.5	-
264+298	Kočane	2	65	55	54.2	47.8	-	-	54.2	47.8	-
264+448	Pukovac	1	65	55	57.5	51	-	-	57.4	51	-
264+448	Pukovac	2	65	55	57.6	51.2	-	-	57.6	51.2	-
264+696	Pukovac	1	65	55	59	52.5	-	-	58.9	52.5	-
264+696	Pukovac	2	65	55	61.2	54.8	-	-	61.2	54.8	-
264+753	Pukovac	1	65	55	58.5	52.1	-	-	58.4	52	-
264+753	Pukovac	2	65	55	60.4	54	-	-	60.3	53.9	-
264+797	Pukovac	1	65	55	58.9	52.5	-	-	58.6	52.2	-
264+797	Pukovac	2	65	55	60.7	54.3	-	-	60.4	54	-
264+881	Pukovac	1	65	55	66.5	60.1	1.5	5.1	57.5	51.1	-
264+881	Pukovac	2	65	55	66.7	60.3	1.7	5.3	59	52.6	-
264+898	Pukovac	1	65	55	65.1	58.7	0.1	3.7	55.5	49.1	-
264+898	Pukovac	2	65	55	65.6	59.2	0.6	4.2	57.3	50.9	-
264+916	Pukovac	1	65	55	63.5	57.1	-	2.1	55.1	48.7	-
264+916	Pukovac	2	65	55	64.1	57.6	-	2.6	57	50.6	-
264+965	Pukovac	1	65	55	63.1	56.7	-	1.7	54.5	48.1	-
264+965	Pukovac	2	65	55	63.4	57	-	2	56.4	50	-
265+021	Pukovac	1	65	55	63.2	56.8	-	1.8	54.5	48.1	-
265+021	Pukovac	2	65	55	63.5	57	-	2	56.5	50.1	-
265+118	Pukovac	1	65	55	64.9	58.5	-	3.5	54.6	48.2	-
265+118	Pukovac	2	65	55	65.4	59	0.4	4	56.6	50.2	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
265+161	Pukovac	1	65	55	63.7	57.2	-	2.2	57	50.6	-
265+161	Pukovac	2	65	55	65.3	58.9	0.3	3.9	58.2	51.8	-
265+175	Pukovac	1	65	55	65.8	59.4	0.8	4.4	53.4	47	-
265+175	Pukovac	2	65	55	66.7	60.3	1.7	5.3	55.1	48.7	-
265+179	Pukovac	1	65	55	65	58.6	-	3.6	55.9	49.5	-
265+179	Pukovac	2	65	55	66.9	60.5	1.9	5.5	58.3	51.8	-
265+219	Pukovac	1	65	55	66.4	60	1.4	5	53.4	47	-
265+219	Pukovac	2	65	55	67	60.6	2	5.6	55.3	48.9	-
265+243	Pukovac	1	65	55	68.1	61.7	3.1	6.7	54.7	48.2	-
265+243	Pukovac	2	65	55	68.4	62	3.4	7	56.9	50.5	-
265+262	Pukovac	1	65	55	68.9	62.5	3.9	7.5	56	49.6	-
265+262	Pukovac	2	65	55	69.1	62.7	4.1	7.7	58.6	52.2	-
265+262	Pukovac	3	65	55	69.1	62.7	4.1	7.7	61.8	55.4	0.4
265+282	Pukovac	1	65	55	69.5	63.1	4.5	8.1	56.3	49.9	-
265+282	Pukovac	2	65	55	69.6	63.2	4.6	8.2	59.4	53	-
265+282	Pukovac	3	65	55	69.5	63.1	4.5	8.1	62.2	55.8	0.8
265+311	Pukovac	1	65	55	66.6	60.2	1.6	5.2	54.7	48.2	-
265+311	Pukovac	2	65	55	67.4	60.9	2.4	5.9	56.3	49.9	-
265+322	Pukovac	1	65	55	67.1	60.7	2.1	5.7	54.5	48.1	-
265+322	Pukovac	2	65	55	67.5	61.1	2.5	6.1	56.3	49.9	-
265+322	Pukovac	3	65	55	67.5	61.1	2.5	6.1	58.3	51.9	-
265+368	Pukovac	1	65	55	66.8	60.4	1.8	5.4	54.4	48	-
265+368	Pukovac	2	65	55	67.3	60.9	2.3	5.9	56.1	49.7	-
265+368	Pukovac	3	65	55	67.3	60.9	2.3	5.9	58.1	51.7	-
265+419	Pukovac	1	65	55	67.8	61.4	2.8	6.4	55.7	49.3	-
265+419	Pukovac	2	65	55	68.5	62	3.5	7	58.5	52.1	-
265+442	Pukovac	1	65	55	66.6	60.2	1.6	5.2	54.5	48.1	-
265+442	Pukovac	2	65	55	67.5	61.1	2.5	6.1	56.2	49.8	-
265+442	Pukovac	3	65	55	67.7	61.3	2.7	6.3	58	51.6	-
265+444	Pukovac	1	65	55	66	59.6	1	4.6	56.5	50.1	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
265+444	Pukovac	2	65	55	68.2	61.8	3.2	6.8	59.9	53.5	-
265+489	Pukovac	1	65	55	68.3	61.9	3.3	6.9	55.3	48.9	-
265+489	Pukovac	2	65	55	68.6	62.2	3.6	7.2	57.6	51.2	-
265+493	Pukovac	1	65	55	66.1	59.7	1.1	4.7	53.9	47.5	-
265+493	Pukovac	2	65	55	66.9	60.5	1.9	5.5	55.4	49	-
265+493	Pukovac	3	65	55	67.1	60.7	2.1	5.7	57.1	50.7	-
265+527	Pukovac	1	65	55	63.7	57.3	-	2.3	52.9	46.4	-
265+527	Pukovac	2	65	55	65.2	58.8	0.2	3.8	54	47.6	-
265+527	Pukovac	3	65	55	65.8	59.4	0.8	4.4	55.2	48.8	-
265+543	Pukovac	1	65	55	66.1	59.7	1.1	4.7	54.1	47.7	-
265+543	Pukovac	2	65	55	66.8	60.4	1.8	5.4	55.7	49.3	-
265+579	Pukovac	1	65	55	65.6	59.2	0.6	4.2	54.1	47.7	-
265+579	Pukovac	2	65	55	66.9	60.5	1.9	5.5	55.5	49.1	-
265+579	Pukovac	3	65	55	67.1	60.7	2.1	5.7	57.2	50.8	-
265+585	Pukovac	1	65	55	67.1	60.7	2.1	5.7	54.9	48.5	-
265+585	Pukovac	2	65	55	67.6	61.2	2.6	6.2	56.6	50.2	-
265+636	Pukovac	1	65	55	69.9	63.5	4.9	8.5	56.2	49.8	-
265+636	Pukovac	2	65	55	70.2	63.8	5.2	8.8	59.4	53	-
265+636	Pukovac	3	65	55	70.1	63.7	5.1	8.7	62.2	55.8	0.8
265+654	Pukovac	1	65	55	67.9	61.5	2.9	6.5	55.3	48.9	-
265+654	Pukovac	2	65	55	68.3	61.9	3.3	6.9	57.4	50.9	-
265+664	Pukovac	1	65	55	69.2	62.7	4.2	7.7	55.5	49.1	-
265+664	Pukovac	2	65	55	69.5	63.1	4.5	8.1	58.2	51.8	-
265+664	Pukovac	3	65	55	69.4	63	4.4	8	61.8	54.9	-
265+680	Pukovac	1	65	55	65.6	59.2	0.6	4.2	54.2	47.8	-
265+680	Pukovac	2	65	55	67.1	60.7	2.1	5.7	55.8	49.3	-
265+680	Pukovac	3	65	55	67.3	60.9	2.3	5.9	57.4	51	-
265+725	Pukovac	1	65	55	70.5	64.1	5.5	9.1	56.8	50.4	-
265+725	Pukovac	2	65	55	70.4	64	5.4	9	61.1	54.7	-
265+761	Pukovac	1	65	55	58.2	51.8	-	-	56.4	50	-


			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
265+761	Pukovac	2	65	55	60.4	54	-	-	58.8	52.4	-
265+762	Pukovac	1	65	55	59	52.6	-	-	51.4	45	-
265+762	Pukovac	2	65	55	59.7	53.3	-	-	51.9	45.5	-
265+762	Pukovac	3	65	55	60.4	54	-	-	52.5	46.1	-
265+804	Pukovac	1	65	55	57.3	50.9	-	-	57.2	50.8	-
265+804	Pukovac	2	65	55	61.6	55.2	-	0.2	61.3	54.9	-
265+813	Pukovac	1	65	55	59.8	53.4	-	-	54	47.6	-
265+813	Pukovac	2	65	55	60.6	54.2	-	-	54.7	48.2	-
265+813	Pukovac	3	65	55	61.4	55	-	-	55.4	49	-
265+828	Pukovac	1	65	55	58.8	52.4	-	-	54.5	48.1	-
265+828	Pukovac	2	65	55	59.5	53.1	-	-	55	48.6	-
265+828	Pukovac	3	65	55	60.2	53.8	-	-	55.7	49.3	-
265+852	Pukovac	1	65	55	59.1	52.7	-	-	57.6	51.2	-
265+852	Pukovac	2	65	55	62.8	56.4	-	1.4	61.6	55.2	0.2
265+888	Pukovac	1	65	55	61.6	55.1	-	0.1	53.5	47.1	-
265+888	Pukovac	2	65	55	62.6	56.1	-	1.1	54.8	48.4	-
265+888	Pukovac	3	65	55	64.1	57.7	-	2.7	56.2	49.8	-
265+902	Pukovac	1	65	55	57.3	50.9	-	-	55.8	49.4	-
265+902	Pukovac	2	65	55	57.9	51.5	-	-	56.4	50	-
265+902	Pukovac	3	65	55	58.4	52	-	-	56.9	50.5	-
265+926	Pukovac	1	65	55	65.5	59.1	0.5	4.1	54.6	48.2	-
265+926	Pukovac	2	65	55	66.8	60.4	1.8	5.4	56.4	50	-
265+926	Pukovac	3	65	55	67	60.6	2	5.6	58.4	52	-
265+984	Pukovac	1	65	55	56.7	50.3	-	-	55.4	48.9	-
265+984	Pukovac	2	65	55	57.3	50.9	-	-	55.9	49.5	-
265+984	Pukovac	3	65	55	57.7	51.2	-	-	56.3	49.9	-
265+990	Pukovac	1	65	55	67.3	60.9	2.3	5.9	55.3	48.9	-
265+990	Pukovac	2	65	55	67.8	61.4	2.8	6.4	57.4	51	-
265+990	Pukovac	3	65	55	67.8	61.4	2.8	6.4	59.8	53.4	-
266+044	Pukovac	1	65	55	69	62.6	4	7.6	56.5	50.1	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
266+044	Pukovac	2	65	55	69.4	63	4.4	8	59.6	53.2	-
266+090	Pukovac	1	65	55	61	54.6	-	-	60.1	53.6	-
266+090	Pukovac	2	65	55	62	55.6	-	0.6	60.9	54.5	-
266+110	Pukovac	1	65	55	68.6	62.2	3.6	7.2	55.9	49.5	-
266+110	Pukovac	2	65	55	68.8	62.4	3.8	7.4	58.7	52.3	-
266+161	Pukovac	1	65	55	57.2	50.8	-	-	55.9	49.5	-
266+161	Pukovac	2	65	55	57.7	51.3	-	-	56.4	50	-
266+181	Pukovac	1	65	55	70.2	63.7	5.2	8.7	56.5	50	-
266+181	Pukovac	2	65	55	70.2	63.8	5.2	8.8	60.3	53.9	-
266+195	Pukovac	1	65	55	58.4	52	-	-	57.2	50.8	-
266+195	Pukovac	2	65	55	58.9	52.5	-	-	57.7	51.3	-
266+239	Pukovac	1	65	55	67.2	60.8	2.2	5.8	54.2	47.8	-
266+239	Pukovac	2	65	55	67.5	61.1	2.5	6.1	56.1	49.7	-
266+272	Pukovac	1	65	55	52.8	46.4	-	-	51.8	45.3	-
266+272	Pukovac	2	65	55	53.1	46.7	-	-	52	45.6	-
266+272	Pukovac	3	65	55	53.4	47	-	-	52.3	45.9	-
266+305	Pukovac	1	65	55	67	60.6	2	5.6	53.9	47.5	-
266+305	Pukovac	2	65	55	67.2	60.8	2.2	5.8	55.7	49.3	-
266+371	Pukovac	1	65	55	53.1	46.7	-	-	52.3	45.9	-
266+371	Pukovac	2	65	55	53.3	46.9	-	-	52.5	46	-
266+371	Pukovac	3	65	55	53.5	47.1	-	-	52.6	46.2	-
266+393	Pukovac	1	65	55	66.5	60	1.5	5	53.5	47.1	-
266+393	Pukovac	2	65	55	66.9	60.5	1.9	5.5	55.2	48.8	-
266+451	Pukovac	1	65	55	65.9	59.5	0.9	4.5	53.6	47.2	-
266+451	Pukovac	2	65	55	66.7	60.3	1.7	5.3	55.1	48.7	-
266+471	Pukovac	1	65	55	52.7	46.3	-	-	52	45.6	-
266+471	Pukovac	2	65	55	52.9	46.5	-	-	52.2	45.8	-
266+471	Pukovac	3	65	55	53.1	46.7	-	-	52.4	46	-
266+519	Pukovac	1	65	55	61.2	54.8	-	-	54.7	48.3	-
266+519	Pukovac	2	65	55	62.3	55.9	-	0.9	55.6	49.2	-

			granicne vrednosti		nivoi		prekoracenja		nivoi posle mera		prekoračenja
			dan	noc	dan	noc	dan	noc	dan	noc	
stac	naselje/prijemnik	etaza	dB(A)		dB(A)		dB(A)		dB(A)		dB(A)
266+530	Pukovac	1	65	55	61.2	54.8	-	-	56.2	49.8	-
266+530	Pukovac	2	65	55	62.4	56	-	1	57.1	50.7	-
266+550	Pukovac	1	65	55	61.4	55	-	-	58.4	52	-
266+550	Pukovac	2	65	55	62.6	56.2	-	1.2	59.8	53.4	-


**Prostorno rasprostiranje buke (indikatori buke) na duž pruge Niš –
Brestovac, sadašnje stanje**

Grafički prikaz




← Brestovac


Niš →



← Brestovac


Niš →






← Brestovac


Niš →




← Brestovac

Niš →









← Brestovac


Niš →





← Brestovac


Niš →












275 250 225 200 175 150 125 100 75 50 25 KM 258 975 950 925 900 875 850 825 800 775


← Brestovac Niš →


800 775 750 725 700 675 650 625 600 575 550 525 500 475 450 425 400 375 350 325 300 275




← Brestovac

Niš →









← Brestovac


Niš →







← Brestovac

Niš →





LEGENDA:

Karta linije jednakih nivoa buke



70 - 60 dB




65 - 60 dB




60 - 55 dB



55 - 50 dB





50 - 45 dB







45 - 40 dB



**Prostorno rasprostiranje buke (indikatori buke) na duž pruge Niš –
Brestovac sa predloženim konstrukcijama za zaštitu od buke**


Grafički prikaz
















← Brestovac



Niš →









← Brestovac

Niš →













← Brestovac

Niš →










← Brestovac



Niš →






← Brestovac



Niš →


















LEGENDA:

Karta linije jednakih nivoa buke
sa primenjenim zaštitnim konstrukcijama



70 - 60 dB



65 - 60 dB




60 - 55 dB



55 - 50 dB



50 - 45 dB



45 - 40 dB



zaštitna konstrukcija